



**Figure 6-6b**  
 Secondary Storage ( $S_{c2}$ ), Model Layer 2



- ① Ventura
- ② Well 52
- ③ Windsor
- ④ Arroyo
- ⑤ Lincoln Ave #3

= 0.3 feet/day (constant over area)


**Figure 6-6c**  
Secondary Storage ( $S_{c2}$ ), Model Layer 3 and 4



- ① Ventura
- ② Well 52
- ③ Windsor
- ④ Arroyo
- ⑤ Lincoln Ave #3


= 0.003 feet/day (constant over area)

**Figure 6-6d**  
Secondary Storage ( $S_{c2}$ ), Model Layer 5 and 6




**Figure 6-7a**  
 Recharge- Stress Period 1 (August 1 through  
 September 1, 1995)







**Figure 6-7b**  
 Recharge- Stress Period 2 (September 1 through  
 October 1, 1995)



**Figure 6-7c**  
 Recharge- Stress Period 3 (October 1 through  
 November 1, 1995)




**Figure 6-7d**  
 Recharge- Stress Period 4 (November 1 through  
 December 1, 1995)




**Figure 6-7e**

Recharge- Stress Period 5 (December 1, 1995  
through January 1, 1996)





**Figure 6-7f**  
 Recharge- Stress Period 6 (January 1 through  
 February 1, 1996)




- ① Ventura
- ② Well 52
- ③ Windsor
- ④ Arroyo
- ⑤ Lincoln Ave #3




**Figure 6-7g**

Recharge- Stress Period 7 (February 1 through  
March 1, 1996)




**Figure 6-7h**  
 Recharge- Stress Period 8 (March 1 through  
 April 1, 1996)




**Figure 6-8a** Simulated Piezometric Levels for Stress Period 1,  
Layer 1: September 1, 1995







**Figure 6-8b** Simulated Piezometric Levels for Stress Period 1,  
Layer 2: September 1, 1995



**Figure 6-8c** Simulated Piezometric Levels for Stress Period 1,  
Layer 3: September 1, 1995



**Figure 6-9a** Simulated Piezometric Levels for Stress Period 2, Layer 1: October 1, 1995



**Figure 6-9b** Simulated Piezometric Levels for Stress Period 2,  
Layer 2: October 1, 1995